SUMMER SUN
SUMMER SUN
WINTER SUN
N

235400E
235450E
235500E
393200N
393150N
17.50
20.00
GP
BM AR5
ICE LEVEL 88
LP
MH 120 17.13
MH 121 17.07
122 MH 17.12
127 MH 17.15
septic tank
MP
RS
WS
EXISTING TEMPORARY BUILDINGS
FALL
FALL
NEW ACO CHANNEL LOCATED ON SITE BOUNDARY
REF DRG. **EL (92) 01**
NEW CONCRETE APRON
REF DRG. **EL (92) 01**
to soakaway
NEW INFILTRATION TRENCH
L : 20.0m
W : 0.6m
D : 0.6m.
O/A Dpth : 1.0m
PINES
BM AR205
STN AR1
AR
16.48
16.80
Water chamber
MH 93
MH 92
MH 91
MAPLE
MAPLE

NOTES

1. DO NOT SCALE FROM THIS DRAWING.
2. ALL LEVELS IN METERS UNLESS NOTED OTHERWISE ON DRAWING.
3. ALL DIMENSIONS AND LEVELS TO BE CHECKED ON SITE PRIOR TO UNDERTAKING ANY WORKS, ORDERING MATERIALS OR FABRICATING ANY COMPONENTS
4. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ENGINEER'S AND ARCHITECT'S DRAWINGS AND RELEVANT SPECIFICATION CLAUSES.

KEY

- EXTENT OF DEVELOPMENT BOUNDARY APPROVED UNDER PLANNING APPLICATION 20C265B
- EXTENT OF DEVELOPED COMPOUND TOTAL SITE AREA - 9890m²
- DENOTES LINE OF SURFACE WATER DRAIN
- DENOTES LINE OF PERFORATED SURFACE WATER DRAIN



DETAIL A

TYP. INFILTRATION TRENCH DETAIL

1:20

DU CONSTRUCTION LTD
CONTRACTWYR ADEILADU : BUILDING CONTRACTORS

REV	DATE	DESCRIPTION	BY	CHK	APP

REVISIONS

Project:

PROPOSED MAIN SITE COMPOUND, WYLFA NEWYDD.

Title:

PROPOSED DRAINAGE LAYOUT

Job Ref:	*Drawing Ref:*			*Revision:*
11317	**EL (95) 01**			*
Drawn by:	*Date:*	*Checked by:*	*Scale:*	*Paper Size:*
D. P.	10.08.17	I. R.	1:250	A1

CADARN
CONSULTING ENGINEERS

Address: CADARN Consulting Engineers, Yr Hen Ysgol, Llanddeusant, Holyhead, Anglesey, LL65 4AD.
tel: 01407 730912
mob: 07890 382979
e-mail: ifan@cadarnconsulting.co.uk